
Capitol Expressway Light Rail Project Phase 2: Light Rail

Subsequent Initial Study/Mitigated Negative Declaration

State Clearinghouse #2001092014

Prepared by:

Santa Clara Valley Transportation Authority
Environmental Programs and Resources Management
3331 North First Street, Building B
San José, CA 95134-1927

Contact:

Christina Jaworski, Senior Environmental Planner
Phone: (408) 321-5751

February 2014

Table of Contents

Chapter 1	Introduction	1
Chapter 2	Changes to the Project, Changes in Circumstances, and Introduction of New Information.....	5
Chapter 3	Environmental Setting, Impacts, and Mitigation	9
Chapter 4	Other CEQA Considerations	39
Chapter 5	Conclusion	41
Chapter 6	References.....	43
Chapter 7	Exhibits and Attachments.....	45
Exhibit A:	No Median Ocala Station.....	47
Exhibit B:	No Sidewalk Widening and Sound Wall Relocation North of Ocala Avenue	48
Exhibit C:	Expansion of Eastridge Park-and-Ride Lot	49
Attachment D:	Summary of Significant Environmental Effects and Mitigation Measures	51
Attachment E:	Validation of CMP intersections for Capitol LRT EIS.....	59
Attachment F:	Supplemental Traffic Analysis	63
Attachment G:	Eastridge Transit Center Traffic Evaluation	83
Attachment H:	Eastridge Mall Aerial Photographs.....	103
Attachment I:	Response to Comments.....	107
Attachment J:	Notice of Intent (NOI)	111
Attachment K:	NOI Mailing List.....	115

